# **Self-Tanning Gel**

SC-1068



An extra light and quick absorbing self-tanning gel with great slip and a powdery after-feel, for an allover sun kissed look at home.

Phase	Trade Name	Ingredient (INCI)	(w/w)%
A	Deionized Water		76.5
	Ultragel 300 <sup>3</sup>	Polyquaternium-37	1.0
	Glycerin		3.0
В	Sustoleo MCT <sup>1</sup>	Triheptanoin	8.0
	Sustoleo DCS <sup>1</sup>	Dicapryl Succinate	5.0
	Sustoleo TSB¹	Hydrogenated Rapeseed Oil	2.0
С	Lexgard O <sup>1</sup>	Caprylyl Glycol	0.3
	Dihydroxyacetone <sup>2</sup>		3.0
	Fragrance		0.5
<sup>1</sup> INOLEX <sup>2</sup> EMD Chemicals <sup>3</sup> BASF Total			100.0

## SustOleo® MCT Luxurious, elegant emollient for smooth spreading on the skin.

# SustOleo® DCS Light and powdery emollient for a soft, minimal after feel. SustOleo® TSB Solid emollient that provides a buttery texture and easy application experience.

### PROCEDURE:

- 1. Mix Phase A ingredients until polymer is hydrated.
- 2. Adjust pH to 4.0 then heat batch to 80°C.
- 3. Combine phase B ingredients, heat to 80°C and add to phase A.
- 4. Homogenize batch @ 3500rpm for 3 minutes.
- 5. Cool batch to 40°C then add phase C with mixing.
- 6. Cool to room temperature.

# **STABILITY:**

45°C and 50°C (4 weeks) F/T -4°C-50°C (3 cycles)

# PROPERTIES:

pH = 4.03

Viscosity @ 25°C (Brookfield RVT; Spindle T-C @ 10 rpm) = 20,000cps

Date: 3/16 Ref: 630-089B

INOLEX and its marketing subsidiaries, affiliates, partners and suppliers, disclaim responsibility for results of use of the Materials or of any product, method, or apparatus mentioned herein. Nothing stated herein is to be considered a recommendation or inducement of any use, manufacture or sale that may infringe any patents or any other proprietary rights now or hereafter in existence. The Materials are intended to act as a guide for use at your discretion and risk. We assume no liability in connection with the use, or the utilization of the Materials or the methods or products described therein. Information pertaining to availability, pricing and technical assistance for these products can be obtained from the marketing department, through the nearest sales representative or authorized distributor. Copyright© 2002 INOLEX. All Rights Reserved.