



KAOLIN CREAM MASK 6152

Formula

A	• Paraffin Oil	4,50 %
	• Bees Wax	2,00 %
	• Solid Paraffin	3,00 %
	• Cetyl alcohol	0,50 %
	• LANOL 14 M (<i>Myreth-3 myristate - SEPPIC</i>)	1,50 %
	• MONTANE 60 (<i>Sorbitan Stearate - SEPPIC</i>)	1,60 %
	• SIMULSOL 58 (<i>Ceteth-20 - SEPPIC</i>)	2,40 %
B	• Hydroxy propyl guar	2,00 %
	• Water	QSP100
C	• Glycerin	4,00 %
	• Kaolin	6,00 %
	• TiO ₂	3,00 %
D	• SEPICIDE CI (<i>Imidazolidinyl urea - SEPPIC</i>)	0,30 %
	• SEPICIDE HB (<i>Phenoxyethanol/Methylparaben/Ethylparaben/Propylparaben/Butylparaben - SEPPIC</i>)	0,50 %
	• Perfume	0,10 %

Procedure

Disperse B by mixing vigorously with the Rayneri and leave it for 24 hours. The following day emulsify B in A at 75°C, then add C immediately and finally D at 30°C.

Comments

**MONTANE 60/
SIMULSOL 58** A pair of emulsifiers.

Characteristics

Appearance A slightly plastic white cream.
Viscosity 100 000 mPas BROOKFIELD LVF S4 6rpm
pH Approximately 7
Stability Stable at ambient temperature and 40°C.

Notes

Paraffin Oil: PRIMOL 352 (ESSO)
Perfume: Lavande aquaphyle (LASERSON)
Hydroxy propyl guar: JAGUAR HP 60 : (MEYHALL)

6152 - A9406

Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.