



AFTER SHAVE BALM 6243 B

Formula

A	<ul style="list-style-type: none">• SEPIGEL 305 (Polyacrylamide/C13-14 Isoparaffin/Laureth-7 - SEPPIC)• Water•	1.50 % QS 100 %
B	<ul style="list-style-type: none">• MICROPEARL M 100 (Polymethyl Methacrylate - SEPPIC)• Water	5.00 % 15.00 %
C	<ul style="list-style-type: none">• Ethanol 95°• SEPICIDE CI (Imidazolidinyl urea - SEPPIC)• Fragrance	10.00 % 0.50 % 0.05 %

Procedure

Prepare B. Prepare A by adding all the water quickly in one go to the SEPIGEL 305 without mixing. Stir the mixture slowly until it becomes homogenous, then add B and C in that order.

Comments

SEPIGEL 305	It produces viscosity easily needing neither preliminary swelling nor neutralisation.
MICROPEARL M 100	An ultrafine powder which is used for its very soft feel and which promotes a matt complexion.
SEPICIDE CI	A preservative.

CHARACTERISTICS

Appearance	A white emulsion.
Viscosity	Approximately 12 000 mPas BROOKFIELD LVT4 6rpm
pH	6.5 to 7.5
Stability	Stable at ambient temperature, 37°C and 50°C.

Notes

Fragrance: TOZEUR X010.491 (QUEST)

6243B - A9610

Since the proposed formulation has not undergone a toxicological study, the handling and use of the proposed products are given as an indication only and in no way bind SEPPIC's responsibility.