



EYE CONTOUR ANTI-WRINKLE GEL 6771

Formula

A	<ul style="list-style-type: none">• Aqua/Water• NaOH 12%• SEPIlift DPHP (<i>Dipalmitoyl hydroxyproline - SEPPIC</i>)	Up to 100% 0.77% 1.00%
B	<ul style="list-style-type: none">• Aqua/Water• PECOSIL PS100 (<i>Dimethicone copolyol PEG-7 phosphate - PHOENIX</i>)	50.00% 00.50%
C	<ul style="list-style-type: none">• Aqua/Water• CAPIGEL 98 (<i>Acrylates Copolymer - SEPPIC</i>)	10.00% 01.00%
D	<ul style="list-style-type: none">• Sodium methyparaben• SEPICIDE CI (<i>Imidazolidinyl urea - SEPPIC</i>)	0.20% 0.20%

Method

Melt the SEPIlift with stirring in part of the water + base. When the solution is homogeneous, add 50% unheated water and PECOSIL PS100. Allow to cool to 30°C and introduce the CAPIGEL pre-diluted in a little water. Then add the preservatives. Check the final pH and readjust if necessary.

Comments

SEPIlift DPHP Liposoluble hydroxyproline carrier of plant origin. With its anti-wrinkle effect, it moisturises and softens the marks of time (efficacy proven in vivo). Firms tissue by stimulating collagen fibre contraction, protects dermal fibres against enzymatic lysis and shows an anti-radical action. Intrinsic emulsifying properties.

CAPIGEL 98 Liquid thickener, easy to use; used to formulate transparent gels at pH 7.

Characteristics

Appearance clear gel
Viscosity approx. 9000 cps BROOKFIELD LVT M3 6rpm
pH approx. 7.5
Stability Stable at AT/40/50

6771 - SEPPIC- A0211

Since the proposed formulation has not undergone a toxicological study, the handling and use of the proposed products are given as an indication only and in no way bind SEPPIC's responsibility.