



## CHRONO-ENERGIZING PEEL-OFF FRESH MASK-GEL 6840

### Formulation

<b>A</b>	• Polyvinyl alcohol	11.35 %
	• Aqua/Water	40.25 %
<b>B</b>	• Aqua/Water	2.62 %
	• Menthol	0.05 %
<b>C</b>	• <b>SEPITONIC M3</b> ( <i>Magnesium aspartate &amp; Zinc gluconate &amp; Copper gluconate - SEPPIC</i> )	1.00 %
	• Alcohol	30.00 %
<b>D</b>	• <b>CAPIGEL 98</b> ( <i>Acrylates Copolymer - SEPPIC</i> )	4.00 %
	• Glycerin	5.00 %
	• Glycereth-7 triacetate	5.00 %
	• Colour	QS
	• Tromethamine	0.68 %

### Procedure

Disperse the PVA into hot water 95°C with an appropriate mixer. Dissolve the menthol in hot water then add SEPITONIC M3 and alcohol. Introduce the B+C blend into the PVA gel (A) under moderate stir. The introduce successively ingredients in D while gently mixing.

### Comments

#### CAPIGEL 98

CAPIGEL 98 is a liquid thickener that is used at pH7. CAPIGEL 98 can be used to obtain perfectly clear and colorless skincare gels. CAPIGEL 98 can support a very high electrolyte content.

#### SEPITONIC M3

Multimineral chrono-energizer. Its zinc, copper and magnesium content helps stimulate the cells by increasing the energy profile (Pyruvate, ATP) and overall metabolism (DNA, proteins). Ideal for tired skin, SEPITONIC M3 delivers the elements needed for cell dynamism and the maintenance of skin function. It works to stimulate cell regeneration and helps restore fresh, radiant skin.



## Characteristics

Appearance	Clear blue gel
pH	7.3
Viscosity	18,000 mPa.s BROOKFIELD LV4 6rpm
Stability	stable at room temperature/40°C/+4°C Stable after freeze-thaw cycles -5/+40°C stable when centrifuged 50°C 20' 3000rpm

## Assessment

Drying time of the film 30 $\mu$  (57CO040) = 9'

## Notes

Alcohol : ethanol 95

Glycereth-7 triacetate (distribution by SEPPIC in some countries – ask us)

Polyvinyl alcohol (distribution by SEPPIC in some countries – ask us)

## 6840 – SEPPIC – A0105

***Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.***