



## WAX BASED CREAM GEL – SMOOTH TEXTURE 6851

### Formula

<b>A</b>	<ul style="list-style-type: none"><li>Cetostearyl alcohol</li><li>Isodecyl neopentanoate</li></ul>	15.00 % 15.00 %
<b>B</b>	<ul style="list-style-type: none"><li><b>SIMULGEL™ EG</b> (<i>Sodium acrylate/acryloyldimethyltaurate copolymer and Isohexadecane and Polysorbate 80 - SEPPIC</i>)</li></ul>	2.00 %
<b>C</b>	<ul style="list-style-type: none"><li>Water</li></ul>	QSP 100 %
<b>D</b>	<ul style="list-style-type: none"><li><b>KATHON™ CG</b> (<i>Methylchloroisothiazolinone and methylisothiazolinone - distribué par SEPPIC</i>)</li></ul>	00.05 %

### Procedure

Melt fatty phase at 75°C. Add SIMULGEL™ EG in the given phase. Add water heated to 75°C with moderate stir and allow to cool while mixing gently.

### Comments

**SIMULGEL EG** Thickening and emulsifying agent in liquid form. Very easy to use (no predispersion or neutralization). SIMULGEL EG produces gel-creams with a rich, silky texture that are easy to apply and rapidly absorbed by the skin. SIMULGEL™ EG allows to emulsify a high wax content.

### Characteristics

Appearance	white emulsion
pH	6.2
Viscosity	88,000 mPa.s BROOKFIELD LV 6rpm
Stability	stable at room temperature - 40°C-50°C

### Note

KATHON CG (ROHM & HASS , distribué par SEPPIC selon les pays, nous contacter)

### 6851 – SEPPIC – 0404

**Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.**

SEPPIC SA  
33(0) 1 40 62 55 55

Givaudan Lavitrotte SA  
33(0) 4 78 61 55 00

SEPPIC Inc  
1 973 882 5597

SEPPIC China  
86(21) 64 66 01 49

SEPPIC UK Ltd  
44 208 577 8800

SEPPIC GmbH  
49(0) 220 3890 3100

SEPPIC Italia Srl  
39 02 38009110

SEPPIC Belgium NV  
32 3 250 3911