



**COLOUR & SHINE LIP GLOSS
(Thick formulation – tube)
6967A**

Formula

A	<ul style="list-style-type: none">• Maltitol• SIMULGEL EG (<i>Sodium acrylate/acryloyldimethyltaurate copolymer and Isohexadecane and Polysorbate 80 - SEPPIC</i>)	Qsp 100 % 1.50%
B	<ul style="list-style-type: none">• MONTANOX 80 (<i>Polysorbate 80 - SEPPIC</i>)• PVP/ Hexadecene copolymer• Flavour	1.00 % 0.90 % 0.10 %
C	<ul style="list-style-type: none">• Pigments• Dipentaerythritol pentaisononanoate• SEPICIDE HB (<i>Phenoxyethanol/Methylparaben/Ethylparaben /Propylparaben /Butylparaben - SEPPIC</i>)	0.50 % 15.00 % 0.50 %

Procedure

Make an anhydrous gel anhydrous when mixing ingredients of phase A.
Add phase B previously homogenized and then, add ingredients of phase C.

Comments

SIMULGEL EG	Thickening and emulsifying agent in liquid form. Very easy to use (no predispersion or neutralization). SIMULGEL EG emulsifies all types of oil phase without heating to produce gel-creams with a rich, silky texture that are easy to apply and rapidly absorbed by the skin. SIMULGEL EG can be used as a gelling agent in formulas with a high content of solvents (ethanol, glycols, acetone, etc.).
MONTANOX 80	Solubilizing surfactant.
SEPICIDE HB	Preservative.

SEPPIC SA
33(0) 1 40 62 55 55

Givaudan Lavirotte SA
33(0) 4 78 61 55 00

SEPPIC Inc
1 973 882 5597

SEPPIC China
86(21) 64 66 01 49

SEPPIC UK Ltd
44 208 577 8800

SEPPIC GmbH
49(0) 220 3890 3100

SEPPIC Italia Srl
39 02 38009110

SEPPIC Belgium NV
32 3 250 3911



Characteristics

Aspect	Red wine gel
Viscosity	around 200,000 mPa.s (Brookfield RV M7)
Stability	Stable at RT – 40°C – 50°C

Notes

Flavour : Fraise 84.0948 (ROBERTET)

Pigments : Candurin Red Wine (MERCK)

PVP/ Hexadecene copolymer : ANTARON V216 (ISP)

Maltitol : C Maltidex H16322 (CERESTAR)

Dipentaerythritol pentaisoanoate : DUB VINYL (STEARINERIE DUBOIS)

6967A – SEPPIC – 0603

Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.

SEPPIC SA
33(0) 1 40 62 55 55

SEPPIC Inc
1 973 882 5597

SEPPIC UK Ltd
44 208 577 8800

SEPPIC Italia Srl
39 02 38009110

Givaudan Lavirotte SA
33(0) 4 78 61 55 00

SEPPIC China
86(21) 64 66 01 49

SEPPIC GmbH
49(0) 220 3890 3100

SEPPIC Belgium NV
32 3 250 3911