



- **White cream gel**
- **Packaging : pump-bottle**
- **A real slimming performance : ADIPOSIM™ associated with ADIPOLESS™ for a cellulite corrective and preventive effect**
- **SEPI NOV™ EMT10 stabilizes the formula with a fresh feeling**



EU07047A - 0908

Formula

A	SEPI NOV™ EMT 10 Aqua / Water	3.00% Up to 100%
B	ADIPOLESS™	1.00%
C	Glycerin	10.00%
D	LANOL™ 99 Cyclopentasiloxane and Cyclohexasiloxane Preservative	4.00% 2.00% 0.35%
E	Ethanol Parfum / Fragrance	30.00% 0.10%
F	ADIPOSIM™	3.00%
G	NaOH (12%)	Up to pH 5.2

Procedure

Pilot – Trimix – 7 kg

Disperse the SEPI NOV™ into water phase under turbulent flow (serrated disk - 3000rpm) during 5'. Introduce ADIPOLESS™, and keep the same blending parameters for 5'. Add glycerin, then keep the same blending parameters for 5'. Separately blend the ingredients in the fatty phase (without heating), add this phase to the gel and mix for 5'. Dissolve the fragrance into Ethanol, add this phase to the gel and keep mixing for 5'. Add Adiposlim and mix well. Adjust the final pH with sodium hydroxide and mix for 5'. All mixing steps are processed under vacuum.

Characteristics

Appearance	Pourable cream gel
pH	5.2
Viscosity M3 at RT	16,000 mPa.s Brookfield S456
Stability*	M3 at RT and 45° C M1 in cycles -5/+40° C Stable after 20 min. centrifugation at 3000rpm

Raw materials from SEPPIC

SEPI NOV™ EMT 10

Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer

Powder polymer «2-in-1», thickening in a wide pH range (3-12), ready to use, with an excellent stabilizing properties at low level and in presence of a high % of oily phase. Sensory profile: "satin" touch, fresh, glide-on

ADIPOLESS™

Chenopodium Quinoa Seed Extract and Butylene Glycol

Number of functional adipocytes decreased, to maintain your silhouette (proven innovative anti-adipogenesis slimming effect).

LANOL™ 99

Isononyl Isononanoate

Emollient agent.

ADIPOSIM™

Sorbitan Laurate and Lauroyl Proline

A dual action to correct existing "orange skin aspect" inhibits and eliminates fat storage for "Top Model" shape adipocytes (in vivo and in vitro proven efficacy versus placebo). Ecocert approved.

Other raw materials...

- Cyclopentasiloxane and Cyclohexasiloxane : **Dow Corning 345 Fluid (DOW CORNING)**
- Preservative : Phenoxyethanol
- Parfum / Fragrance : **Palmoflor menthe cèdre Ref RS11787 (TECHNOFLOR)**