



- **Aqueous gel**
- **Packaging : Pump bottle**
- **Anti-dark circles efficacy validated by panelists.**
- **ADIPOLESS™ visibly erases under eye dark circles in 28 days. Eyes are revitalized and less affected by fatigue.**
- **Minimalist formula with high efficacy**
- **Good penetration without sticky effect**
- **Without paraben**


**EU07214A - 1203**

### Formula

A	Aqua / Water <b>SEPI NOV™ EMT 10</b>	Up to 100% <b>1.50%</b>
B	Butylene Glycol Glycerin <b>ADIPOLESS™</b> Phenoxyethanol & Ethylhexylglycerin Adjust pH up to 6.3	2.00% 3.00% <b>2.00%</b> 1.00%

### Procedure (Trimix 5kg)

Introduce the water and SEPI NOV™ EMT 10 into the reactor.  
Homogenize (rotor-stator) then, add phase B.  
Homogenize.  
Adjust the pH.

### Characteristics

Appearance	Opalescent aqueous gel
pH	6.3
Viscosity 1M at RT	96 100 mPa.s, Brookfield S7S5
Viscosity 1M at 45° C	95 600 mPa.s, Brookfield S7S5
Viscosity recovery at RT (after 1M at 45° C)	99 600 mPa.s, Brookfield S7S5
Stability*	1M at RT, 45° C, cycles -5° C/+40° C Stable after 20' of centrifugation at RT & 3000rpm

## Raw materials from SEPPIC

### ADIPOLESS™

#### *Butylene Glycol & Chenopodium Quinoa Seed Extract*

Visibly erases dark circles by significantly reducing the number of red blood cells surrounding the eye. Dark circles are less blue and shadows are enlightened.

New modes of action: the capillaries are protected, limited formation of new blood vessels and the skin elasticity is maintained.

### SEPI NOV™ EMT 10

#### *Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer*

Powder polymer «2-in-1», thickening in a wide pH range (3-12), ready to use, with an excellent stabilizing properties at low level and in presence of a high % of oily phase.

Sensory profile: "satin" touch, fresh, glide-on.

### Other raw materials...

- Butylene Glycol : **BUTYLENE GLYCOL (SIGMA ALDRICH)**
- Phenoxyethanol & Ethylhexylglycerin : **EUXYL PE9010 (SCHULKE & MAYR)**