



ANTI-AGE, LIGHTENING AND FIRMING CREAM 6709

Formula

A	<ul style="list-style-type: none">• MONTANOV 202 (<i>Arachidyl alcohol/behenyl alcohol/arachidylglucoside - SEPPIC</i>)• Isononyl isononanoate• Isododecane• SEPIlift DPHP (<i>Dipalmitoylproline - SEPPIC</i>)	3.00 % 2.00 % 10.00 % 0.20 %
B	<ul style="list-style-type: none">• Water	QS 100 %
C	<ul style="list-style-type: none">• SEPIGEL 305 (<i>Polyacrylamide/C13-14 isoparaffin/Laureth-7 - SEPPIC</i>)	2.00 %
D	<ul style="list-style-type: none">• SEPICIDE HB (<i>Phenoxyethanol/Methylparaben/Ethylparaben/Propylparaben/Butylparaben - SEPPIC</i>)• SEPICIDE CI (<i>Imidazolidinyl urea - SEPPIC</i>)• Trishydroxy aminomethane• Lightening active ingredient• Fragrance	0.30 % 0.20 % qs PH=7 4.00 % 0.20 %

Procedure

Melt A at 80-85°C without overheating it in a double jacketed tank. Heat B at 80-85°C. Emulsify A into B at 80-85°C. Add C at around 60°C. Leave to cool slowly so that the MONTANOV does not form crystals. Add the constituents of D at around 40°C.

Comments

MONTANOV 202	A glucolipid emulsifier of vegetable origin. It produces very evanescent emulsions which are easy to apply to the skin and are rapidly absorbed leaving a soft, non-greasy feel.
SEPIlift DPHP	A lipoaminoacid containing hydroxyproline in a lipophilic form. Because of its anti-elastasic properties it helps fight against skin ageing.
SEPIGEL 305	An stabilising and thickening agent in a liquid, very easy-to-handle form. It requires neither premixing nor neutralisation.
SEPICIDE HB / CI	A preservative system.



Characteristics

Appearance	Ivory cream.
pH	Approximately 6.8.
Viscosity	34,000 mPa.s BROOKFIELD LV4-.6RPM
Stability	stable at RT/40/50°C stable during freeze/thaw cycles (-5°C/+40°C) stable after centrifuging at 50°C

Notes

Fragrance : PERLE 137.011 (FIRMENICH)

Isododecane (BAYER)

Lightening active ingredient : wheat germ extract (CLARISKIN 2 - SILAB)

6709 - SEPPIC - A9801

Since the proposed formulation has not undergone a toxicological study, the handling and use of the proposed products are given as an indication only and in no way bind SEPPIC's responsibility.