



LIFT VISAGE» FIRMING CARE 6822

Formula

A	<ul style="list-style-type: none">• Water• MONTANOV 202 (<i>Arachidyl alcohol and behenyl alcohol and arachidylglucoside - SEPPIC</i>)• NaOH 24%	Q.S. 100% 3.00% 0.06%
B	<ul style="list-style-type: none">• SIMULGEL NS (<i>Hydroxyethylacrylate/sodium acryloyldimethyl taurate copolymer & squalane & polysorbate 60 - SEPPIC</i>)	0.50%
C	<ul style="list-style-type: none">• Cetearyl ethylhexanoate• Dimethicone• SEPI LIFT DPHP (<i>Dipalmitoyl hydroxyproline - SEPPIC</i>)• Cyclomethicone	8.00% 2.00% 1.00% 2.00%
D	<ul style="list-style-type: none">• SEPICIDE HB (<i>Phenoxyethanol/Methyl paraben/Ethyl paraben/Propyl paraben/ Butylparaben - SEPPIC</i>)• SEPICIDE CI (<i>Imidazolidinyl urea - SEPPIC</i>)• Fragrance	0.30% 0.20% 0.10%

Procedure

Disperse the sodium hydroxide and MONTANOV 202 in cold water, then heat to 85°C under anchor-type moderate agitation (30 minutes for 2 kg). After this period of time, once the aqueous phase has melted and is homogeneous, add SIMULGEL NS under rotor stator agitation (2 minutes). Separately heat the oily phase to 85°C (add cyclomethicone to the hot oily phase just before transfer of the aqueous phase). Add all the oily phase to the aqueous phase then start the rotor stator (4 minutes). Cool under anchor-type slow agitation. Create a vacuum at 60°C. Add the preservatives at 30°C still under moderate agitation.

Comments

SIMULGEL NS

Thickening and emulsifying agent in very easy to use liquid form (no pre-dispersion or neutralization). Provides a sensation of freshness followed by a melting effect on contact with the skin. It leaves a feeling of velvety softness. SIMULGEL NS perfectly stabilizes emulsions against high temperatures.



MONTANOV 202

Glucolipid emulsifier in harmony with nature. It produces emulsions with a very light, evanescent feel that are easy to apply and rapidly absorbed. These emulsions leave the skin feeling soft and non-greasy. Their matt finish effect helps prevent shine. In combination with the other grades of the MONTANOV range, MONTANOV 202 can be used to modulate the texture and flexibility of the emulsions as desired.

SEPILIFT DPHP

Plant-derived hydroxyproline "Lipovector". An anti-wrinkle ingredient, it moisturizes the skin and reduces the appearance of visible signs of aging (effectiveness proven in vivo). SEPILIFT DPHP firms skin tissues by stimulating the contraction of the collagen fibers. It protects dermal fibers from enzymatic lysis and exerts an anti-free radical action. SEPILIFT DPHP has intrinsic emulsifying properties and also gives the emulsion a specific feel.

Characteristics

Appearance	white fluid emulsion
pH	5
Viscosity	50.000 mPa.s BROOKFIELD LV4 6 rpm
Stability	stable at room temperature/40/50 and at thermal cycles of -5/+40°C Stable after centrifugation at 50°C for 20 minutes at 3000 rpm

Comments

Fragrance: ALMA C621785 (QUEST)
Cetearyl ethylhexanoate (distribution by SEPPIC in some countries – ask us)
Dimethicone: DC200.350 (DOW CORNING)
Cyclomethicone: DC345 (DOW CORNING)

6822 – SEPPIC – A0104B

Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.